


LEDiL®

RANGE & PRECISION
LEDiL's optics offer both



ABOUT US

With Finnish design expertise and global production, we are the leading optics supplier to the world's premier lighting manufacturers. Our wide range of optical solutions combine innovative designs and excellent performance making us the first choice for demanding applications. Close connections with all the leading LED manufacturers allow us to release products alongside the newest LEDs; and our customers to enjoy rapid development and deployment of new fixtures with the latest technology. A selection of over 4000 standard and unlimited custom solutions combined with our "can do, will do" attitude ensure you find the product you need for your application. With a global network of distributors and free of charge technical support to all our customers we provide the most competitive solutions available today. For more information, please visit www.ledil.com

Useful information

You can find product-ordering names together with the latest product information and LED compatibility at:
www.ledil.com/product_search

For your convenience we have included saved search paths under each product family name. This address will take you directly to the family listing on our website.

Find assembly instructions and other useful information about LEDiL products in our Installation Guide at:
www.ledil.com/installation_guide



Scan to
subscribe
LEDiL Newsletter!
ledil.com/subscribe

CONTENTS

SINGLE LENSES	6	MULTI-LENS ARRAYS	20	REFLECTORS	30
BILLIE	10	ANGIE	20	BRIDGET	30
CARMEN	16	ANNA	21	BROOKE	31
CRYSTAL	14	CUTE	20	LENA / LENINA	36
EMERALD	13	FLORENTINA	24	MINNIE	30
EMILY	11	FLORENTINA-12x1	24	MIRELLA	32
EMMA	12	FLORENTINA-1	25	RITA	30
EVA	10	FLORENTINA-2x2	25	VENLA	30
FLARE	14	FLORENTINA-4x1	25		
GABRIELLA	15	FLORENTINA-OPEN	25	CONNECTORS	38
GERI	15	GT3	20	HEKLA	38
HEIDI	11	GT4	20		
HELENA	13	IDA	23		
IRENE	10	LUCIA	23	STREET & AREA LIGHTING	40
IRIS	10	MARTHA	22		
JULIA	12	MELODY	22	JENNY	46
KIKI	12	PETUNIA	23	STELLA	46
LARISA	6	QUAK	21	STRADA	40
LAURA-G2	9	SANDRA	22	Single optics	40
LAURA	9	SATU	20	STRADA-2X2	42
LEILA-G2	9	TAMPA	21	STRADA-2X2CSP	43
LEILA	9	TUIJA	22	STRADA-2X2MX	44
LISA	6	VIRPI	23	STRADA-2X2MXS	45
LOTTA	12			STRADA-2X2S	45
MIRA	10			STRADA-6X1	48
MOLLY	17			STRADA-IP-2X6	47
OLIVIA	18	LINEAR LENSES	26	STRADELLA	49
RGBX	15	FLORENCE-family	26	TATIANA	48
RONDA	16	FLORENCE-1R	26		
ROSE	8	FLORENCE-1R-GC	26		
ROSE-MRK	8	FLORENCE-3R	26	HIGH BAY LIGHTING	50
ROSE-UV	8	FLORENCE-3R-IP	26	HB-2X2	50
SAGA	19	LINNEA	29	HB-2X2MX	50
SEANNA	14	SHELLY	28	HB-IP-2X6	50
SIRI	12	VANESSA	28	HB-2X2MXS	51
STRADA-S	12				
TINA	7				
TITANUM/SPUTNIK	11	REFLECTORS	30	CUSTOM SOLUTIONS	52
TWIDDLE	6	ANGELA/ANGELINA/			
VENLA-IRIS	13	ANGELETTE	37		
VERONICA	6	BARBARA	34	WHERE TO BUY	53
WINNIE	18	BLONDIE	30		
ZORYA	19	BOOM	30		

PRODUCT FAMILIES & SUGGESTED APPLICATIONS (not all product families listed)	INDOOR								OUTDOOR					
	RETAIL & TRACK	DECORATIVE & STAGE	LINEAR	OFFICE	EMERGENCY & SECURITY	WASH LIGHTING	ARCHITECTURAL RETROFIT	INDUSTRIAL & TECHNICAL DOWNLIGHT	GENERAL	STREET LIGHTING AREA & PARKING LOT CANOPY	TUNNEL & TRANSPORTATION	FLOOD LIGHT	WASH LIGHTING ARCHITECTURAL RETROFIT	
ANGELA / ANGELETTE / ANGELINA	●	●		●	●	●	●	●	●				●	●
ANGIE							●	●						●
ANNA	●					●	●	●					●	●
BARBARA	●	●				●	●	●	●					●
BILLIE					●							●	●	●
BLONDIE					●	●						●	●	●
BOOM								●			●			●
BRIDGET								●	●					●
BROOKE	●	●				●	●	●	●			●	●	●
CARMEN	●					●		●						●
CRYSTAL		●		●		●								●
CUTE							●		●					●
EMERALD				●						●				●
EMILY					●	●		●				●	●	●
EMMA				●				●						●
EVA	●					●		●				●		●
FLARE				●	●	●		●			●			●
FLORENCE-1R			●	●	●	●	●							●
FLORENCE (3R)			●	●	●	●		●		●				●
FLORENCE-3R-IP			●				●	●		●	●	●	●	●
FLORENTINA (12X1)			●	●		●								●
FLORENTINA-1, -2X2, -4X1	●			●		●		●						●
GABRIELLA		●				●		●					●	●
GERI	●					●								●
GT3 / GT4							●		●					●
HB-5X1								●	●					●
HB-2X2								●	●					●
HB-SQ								●	●					●
HB-2X6								●	●	●	●	●		●
HB-2X2MX / MXS								●	●	●	●	●		●
HEIDI					●			●				●	●	●
HELENA	●			●				●	●					●
IDA				●				●	●	●				●
IRENE				●		●								●
IRIS		●				●		●	●				●	●
JENNY						●	●	●	●	●	●			●
JULIA			●	●		●		●		●		●		●
KIKI			●	●		●		●		●				●
LARISA						●								●
LAURA						●						●	●	●
LEILA						●	●	●					●	●
LENA / LENINA	●			●		●	●	●				●	●	●
LINNEA	●		●	●		●	●	●						●
LISA						●	●	●					●	●
LOTTA			●	●		●		●		●				●
LUCIA	●	●				●							●	●
MARTHA							●		●					●

MID-POWER LEDs

HIGH-POWER LEDs

ULTRA-HIGH-POWER LEDs

COB

CSP

ASK FOR COMPATIBILITY

	INDOOR										OUTDOOR								
	RETAIL & TRACK	DECORATIVE & STAGE	LINEAR	OFFICE	EMERGENCY & SECURITY	WASH LIGHTING	ARCHITECTURAL	RETROFIT	INDUSTRIAL & TECHNICAL	DOWNLIGHT	GENERAL	STREET LIGHTING	AREA & PARKING LOT	CANOPY	TUNNEL & TRANSPORTATION	FLOOD LIGHT	WASH LIGHTING	ARCHITECTURAL	RETROFIT
MELODY																			
MINNIE																			
MIRA																			
MIRELLA																			
OLIVIA																			
PETUNIA																			
QUAK																			
REGINA																			
RGBX																			
RITA																			
RONDA																			
ROSE																			
SAGA																			
SANDRA																			
SATU																			
SEANNA																			
SHELLY																			
SIRI																			
SPUTNIK																			
STELLA																			
STRADA (single)																			
STRADA-2X2																			
STRADA-2X2MX/MXS																			
STRADA-IP-2X6																			
STRADA-SQ																			
STRADA-6X1																			
STRADA-2X2CSP																			
STRADA-2X2S																			
STRADELLA (single), -8																			
STRADELLA-9																			
STRADELLA-16																			
STRADELLA-IP-28																			
TAMPA																			
TATIANA																			
TINA																			
TITANIUM																			
TUIJA																			
TWIDDLE																			
TYRA																			
VANESSA																			
VENLA																			
VERONICA																			
VIRPI																			
WINNIE																			
ZORYA																			
ZORYA-MINI																			
ZOWIE																			

ASK FOR COMPATIBILITY

SINGLE LENSES

SINGLE LENSES

LARISA (www.ledil.com/larisa) CLIP versions available, check www.ledil.com
Compatibility: Up to 3535 size LED packages

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
LARISA-M	Medium	7.5	9.9 x 9.9	32	86	2.2
LARISA-O	Oval	7.5	9.9 x 9.9	40 x 22	81	2.1
LARISA-RS	Real spot	7.5	9.9 x 9.9	19	80	3.7
LARISA-W	Wide	7.5	9.9 x 9.9	48	85	1.2
LARISA-WW	Extra wide	7.5	9.9 x 9.9	57	84	0.9
LARISA-RZ	Diffused spot	7.5	9.9 x 9.9	27	77	1.9
LARISA-RS-PIN	Real spot	7.5	9.9 x 9.9	16	86	6.9
LARISA-M-PIN	Medium	7.5	9.9 x 9.9	25	85	2.9
LARISA-O-PIN	Oval	7.5	9.9 x 9.9	40 x 17	82	2.8
LARISA-O-90-PIN	Oval	7.5	9.9 x 9.9	TBA	TBA	TBA
LARISA-W-PIN	Wide	7.5	9.9 x 9.9	43	85	1.5
LARISA-WW-PIN	Extra wide	7.5	9.9 x 9.9	66	84	0.9
LARISA-RZ-PIN	Diffused spot	7.5	9.9 x 9.9	26	77	2.6

LISA-family (www.ledil.com/lisa) CLIP and PIN versions available, check www.ledil.com
Compatibility: Up to 3535 size LED packages

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
LISA-SS	Smooth spot	7.1	10.8	22	86	3.8
LISA-RS	Real spot	7.1	10.8	15	90	3.9

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
LISA2-M	M	≈ 6,8	9,9	22	89	2.8
LISA2-O	O	≈ 7	≈ 10	45 x 21	82	2.2
LISA2-O-90	O-90	≈ 6,8	9,9	19 x 48	82	2.2
LISA2-O-90-PIN	O-90	≈ 6,8	9,9	48x18	83	2.2
LISA2-RS	RS	≈ 6,8	9,9	19	89	3.1
LISA2-W	W	≈ 6,8	≈ 9,9	34	88	1.8
LISA2-WW	WW	≈ 6,8	≈ 9,9	46	89	1.1
LISA2-WWW	WWW	≈ 6,8	≈ 9,9	80	83	0.4

TWIDDLE (www.ledil.com/twiddle)
Compatibility: Up to 3535 size LED packages

Name	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
TWIDDLE-D	14.3	21.6	20	81	TBA
TWIDDLE-M	13.2	21.6	32	72	TBA
TWIDDLE-RZ-D	14.57	21.56	18	60	4.1
TWIDDLE-RZ-M	13.34	21.56	20	68	4.1

VERONICA (www.ledil.com/veronica-family)
Compatibility: Up to 7070 size, SQ-MINI optics up to 3535 size packages

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
VERONICA-O	Oval	12.2	26	54 x 11	84	4.2
VERONICA-RS	Real spot	12.2	26	12	90	18.4
VERONICA-SQ-O	Oval	12.2	22.5x22.5	56x12	82	3.2
VERONICA-SQ-M	Medium	12.2	22.5x22.5	30	89	3.1
VERONICA-SQ-W	Wide	12.2	22.5x22.5	52	92	1.2
VERONICA-SQ-RS	Real spot	12.2	22.5x22.5	13	89	18.8
VERONICA-SQ-SE	Side emitting	11.4	22.5x22.5	189	91	2.7
VERONICA-SQ-MINI-RS	Real spot	8,86	13.9x13.9	17	92	11
VERONICA-SQ-MINI-O	Oval	8,86	13.9x13.9	15x50	84	3.8
VERONICA-SQ-MINI-M	Medium	8,86	13.9x13.9	34	89	TBA
VERONICA-SQ-MINI-W	Wide	8,86	13.9x13.9	56	91	0.9
VERONICA-SQ-MINI-D	Diffused spot	8,86	13.9x13.9	15	92	TBA




TINA-family (www.ledil.com/tina)
Compatibility: Up to 3535 size LED packages

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
TINA-D	Diffused spot	≈ 10	16.1	16	92	6.1
TINA-M	Medium	≈ 10	16.1	29	88	2.1
TINA-O	Oval	≈ 10	16.1	34 x 15	89	3.4
TINA-RS	Real spot	≈ 10	16.1	13	93	10.9
TINA-W	Wide	≈ 10	16.1	48	91	1.3
TINA-WW	Extra wide	≈ 10	16.1	61	91	0.8
TINA-BW	Coming soon Batwing	≈ 10	16.1	TBA	TBA	TBA

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
TINA2-D	Diffused spot	≈ 10	16.1	16	89	6.9
TINA2-M	Medium	≈ 10	16.1	29	86	2.5
TINA2-O	Oval	≈ 10	16.1	35 x 16	87	3.5
TINA2-O-WAS	Asymm. oval	≈ 10	16.1	TBA	TBA	TBA
TINA2-RS	Real spot	≈ 10	16.1	14	91	10.4
TINA2-SS	Smooth spot	9.26	16	22	88	4.5
TINA2-W	Wide	≈ 10	16.1	46	87	1.37
TINA2-WW	Extra wide	≈ 10	16.1	58	87	0.9
TINA2-R	Wide	10.1	16.1	74	90	0.5

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
TINA3-OO	OO	≈ 7	≈ 16.1	59 x 39	90	1.20
TINA3-S	S	11.4	16.1	13	77	8.40
TINA3-W	W	≈ 7	16.1	39	90	1.70
TINA3-WW	WW	≈ 7	16.1	53	90	1.00
TINA3-WWW	WWW	≈ 7	16.1	71	88	0.60

SINGLE LENSES



ROSE (www.ledil.com/rose)

Compatibility: LED packages up to 5050 size

Name	Beam type	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
ROSE-D	D	21.6 x 21.6	16	85	7.1
ROSE-M	M	21.6 x 21.6	30	83	2.5
ROSE-MD	MD	21.6 x 21.6	24	TBA	TBA
ROSE-O	O	21.6 x 21.6	43 x 15	81	3.1
ROSE-O-90	O-90	21.6 x 21.6	13 x 44	81	3.6
ROSE-RS	RS	21.6 x 21.6	11	88	21.7
ROSE-SS	SS	21.6 x 21.6	15	87	9.37
ROSE-W	W	21.6 x 21.6	51	81	1.1
ROSE-WW	WW	21.6 x 21.6	59	81	0.78
ROSE-WWW	WWW	21.6 x 21.6	80	84	0.4

ROSE-MRK (www.ledil.com/rose-mrk)

Compatibility: Ultra-high-power LED packages up to 7070 size

Name	Beam type	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
ROSE-MRK-S	Spot	21.6 x 21.6	30	80	TBA
ROSE-MRK-M	Medium	21.6 x 21.6	43	84	TBA
ROSE-MRK-W	Wide	21.6 x 21.6	62	84	TBA
ROSE-MRK-BW	Batwing	21.6 x 21.6	68	84	0.67

ROSE-UV (www.ledil.com/rose)

Compatibility: High-power UV-LED packages with dome up to 3535 size

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
G2-NIS033U-S	Spot	12.9	21.6x21.6	20	92	TBA
G2-NIS033U-M	Medium	12.9	21.6x21.6	25	91	TBA
G2-NIS033U-W	Wide	12.9	21.6x21.6	43	91	TBA
G2-ROSE-UV-SS	Smooth spot	12.9	21.6x21.6	TBA	TBA	TBA
G2-ROSE-UV-M	Medium	12.9	21.6x21.6	TBA	TBA	TBA
G2-ROSE-UV-W	Wide	12.9	21.6x21.6	TBA	TBA	TBA

SINGLE LENSES

LAURA-G2 (www.ledil.com/laura)

Thinner holder design. Backwards compatible with previous generations.

Compatibility: Up to 5050 size LED packages

Name	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
G2-LAURA-D-P	13.1	21.6 x 21.6	13	93	9.3
G2-LAURA-M-P	13.1	21.6 x 21.6	30	92	2.6
G2-LAURA-O-P	13.1	21.6 x 21.6	40 x 13	91	4.8
G2-LAURA-RS-P	13.1	21.6 x 21.6	8	93	33.2
G2-LAURA-SS-P	13.1	21.6 x 21.6	11	93	16.5
G2-LAURA-W-P	13.1	21.6 x 21.6	46	91	1.55
G2-LAURA-WW-P	13.1	21.6 x 21.6	66	86	0.7
G2-LAURA-RXW-P	13.1	21.6 x 21.6	72	86	0.6
G2-LAURA-R-W-P	13.1	21.6 x 21.6	70	81	0.8
G2-LAURA-SS-WAS-P	13.1	21.6 x 21.6	Asym.	92	11.6
G2-LAURA-O-WAS-P	13.1	21.6 x 21.6	Asym.	84	2.6
G2-LAURA-O90-P	13.1	21.6 x 21.6	15+40	90	4.4

LAURA (www.ledil.com/laura)

Compatibility: Up to 5050 size LED packages

Name	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
LAURA-D	13	21.6 x 21.6	15	88	6.2
LAURA-M	13	21.6 x 21.6	29	88	2.5
LAURA-O	13	21.6 x 21.6	40 x 12	88	4.3
LAURA-RS	13	21.6 x 21.6	8	93	30.5
LAURA-SS	13	21.6 x 21.6	11	91	14.5
LAURA-W	13	21.6 x 21.6	42	88	1.7
LAURA-WW	13	21.6 x 21.6	66	86	0.70
LAURA-R-W	13	21.6 x 21.6	70	77	0.52

LEILA-G2 (www.ledil.com/leila)

Thinner holder design. Backwards compatible with previous generations.

Compatibility: Up to 5050 size LED packages

Name	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
G2-LXP2-RS2-P	14.7	21.6	8.5	90	22.1
G2-LXP2-RS2	14.7	21.6	8.5	90	22.1
G2-LXP2-D-P	14.7	21.6	9.7	88	19.8
G2-LXP2-D	14.7	21.6	9.7	88	19.8
G2-LXP2-M-P	14.7	21.6	22	88	5.1
G2-LXP2-M	14.7	21.6	22	88	5.2

LEILA (www.ledil.com/leila)

Compatibility: Up to 5050 size LED packages

Beam type name*	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
-MD	14.6	21.6	24	90	TBA
-O	14.6	21.6	39 x 11	88	4.8
-O-90	14.6	21.6	11 x 39	89	4.6
-REC	14.6	21.6	37 x 26	84	2.4
-RS	14.6	21.6	9.6	94	23.1
-RS2	14.6	21.6	8.5	90	22.1
-SS	14.6	21.6	12	TBA	TBA
-W	14.6	21.6	42	90	1.6
-WW	14.6	21.6	42	TBA	TBA
-WAS	14.6	21.6	Asym.	84	4.0

*Subject to the LED type, check www.ledil.com/leila for actual values.



G2-LAURA-O-WAS



LAURA-RS



LEILA

LEILA-G2



LEILA-WAS

SINGLE LENSES

SURI (www.ledil.com/products)

COMING

Compatibility: Optimized for 3535 and compatible up to 7070 size LED packages

Name	D	H	Typ. FWHM	Typ. eff.	Typ.cd/lm
SURI-RS	38	24	6	91	TBA

BILLIE (www.ledil.com/billie)

Compatibility: Up to 3535 size LED packages

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
BILLIE-A	Asymm.	16.1	21.5	Asymm.	88	2.1
BILLIE-B	Asymm.	16.1	21.5	Asymm.	93	2.2

IRENE (www.ledil.com/irene)

Compatibility: Up to 3535 size IR LED packages

Name	H	D	Typ. FWHM
IRENE-IR-4	14.3	21.6	67 + 67
IRENE-IR-8	14.3	21.6	32 + 32
IRENE-IR-12	14.3	21.6	25 + 25
IRENE-IR-16	14.3	21.6	17 + 17
IRENE-IR-25	14.3	21.6	16 + 16

IRIS (www.ledil.com/iris)

Compatibility: Up to 7070 size LED packages

Name	H	D	Typ. FWHM	Typ. eff.	Typ. cd/lm
IRIS-M	≈29	38	26	86	2.7
IRIS-O	≈29	38	39 x 28	84	1.9
IRIS-RS	≈29	38	5	93	66

MIRA (www.ledil.com/mira)

Available with or without holder

Compatibility: Up to 7070 size high power LED packages and small COBs up to 12 mm LES size

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
MIRA-M	Medium	16	35	28	83	2.1
MIRA-W	Wide	16	35	38	82	1.5
MIRA-WW	Extra wide	16	35	58	83	0.9

EVA (www.ledil.com/eva)

Compatibility: Up to 7070 size LED packages

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
EVA-D	Diffused spot	16.4	37.7	16	80	4.92
EVA-M	Medium	16.4	37.7	24	89	3.2
EVA-O	Oval	16.4	37.7	38 + 17	85	3.06
EVA-O-90	Oval	16.4	37.7	17 + 40	86	3.3
EVA-S	Spot	16.4	37.7	10	93	TBA
EVA-SS	Smooth spot	16.4	37.7	11	94	TBA
EVA-W	Wide	16.4	37.7	38	83	1.4
EVA-WW	Extra wide	16.4	37.7	53	82	1.7



SINGLE LENSES



TITANUM/SPUTNIK (www.ledil.com/products)

Compatibility: Up to 3535 size LED packages

Name	Beam type	D	Typ. FWHM	Typ. Eff.
TITANUM/SPUTNIK-M	Medium	26	26	87
TITANUM/SPUTNIK-O	Oval	26	36 x 8	89
TITANUM/SPUTNIK-SS	Smooth spot	26	9	84
TITANUM/SPUTNIK-W	Wide	26	66	71

EMILY (www.ledil.com/emily)

Compatibility: Up to 5050 size LED packages

Name	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
EMILY-SS-WAS	14.8	26	8	90	12
EMILY-O-WAS	14.8	26	43 x 10	87	3.6
EMILY-D	14.8	26	11	91	14
EMILY-M	14.8	26	18	91	7.4
EMILY-M2	14.8	26	29	89,2	3.05
EMILY-O	14.8	26	44 x 10	89	4.5
EMILY-O-90	14.8	26	45 x 10	89	4.2
EMILY-SS	14.8	26	11	80	13.4
EMILY-W	14.8	26	39	86	1.5
EMILY-WW	14.8	26	44	93	1.7
EMILY-WWW	14.8	26	58	86	1
EMILY-RS	14.8	26	8	90	29.5

HEIDI (www.ledil.com/heidi)

Compatibility: Up to 3535 size LED packages

Name	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
HEIDI-D	21.6	10	90	14.8
HEIDI-M	21.6	26	89	3.8
HEIDI-O	21.6	49 x 11	87	4.5
HEIDI-O-90	21.6	13 x 44	87	4.7
HEIDI-RS	21.6	8	92	21.8
HEIDI-SS	21.6	15	90	6.8
HEIDI-W	21.6	32	87	2.6
HEIDI-W2	21.6	45	80	1.1
HEIDI-WR	21.6	31	87	4.1
HEIDI-REC	21.6	35 + 57	76	1.37
HEIDI-REC-90	21.6	36 + 57	78	1.3

SINGLE LENSES

KIKI (www.ledil.com/kiki)

Compatibility: Up to 3535 size LED packages

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
KIKI-A	Wide area lighting	5.9	21.6 x 14	163	92	0.28



KIKI-A

JULIA-A

JULIA (www.ledil.com/julia)

Compatibility: Up to 3535 size LED packages

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
JULIA-A	Wide area lighting	4.8	18.8	88 + 160	90	0.24



LOTTA-A

LOTTA (www.ledil.com/lotta)

Compatibility: Up to 3535 size LED packages

Name	Beam type	H	D	Typ. FWHM	Typ. eff.	Typ. cd/lm
LOTTA-A	Wide area lighting	3.6	19.6x15.4	168	88	TBA

EMMA (www.ledil.com/emma)

Compatibility: Up to 3535 size LED packages

Name	Beam type	H	D	Typ. FWHM	Typ. eff.	Typ. cd/lm
EMMA-360	Side emitter	5.7	9.9 x 9.9	170	92	0.4




EMMA-A

STRADA-S-14

STRADA-S (www.ledil.com/products)

Compatibility: Up to 3535 size LED packages

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
STRADA-S	Side emitter	6.9	19.6 x 15.5	144+170	93	0.36
STRADA-S-14	Side emitter	6.5	19.6 x 13.8	142+170	94	0.36



SIRI-A

SIRI (www.ledil.com/siri)

Compatibility: Up to 3535 size LED packages

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
SIRI-A	Wide area lighting	4.2	13.9x13.9	74 + 134	95	0.3
SIRI-DOME	LED cover, no effect on the light	4.9	13.9x13.9	144	97	0.24
SIRI-DIFF		4.9	13.9x13.9	144	95	0.22

SINGLE LENSES

HELENA (www.ledil.com/helena)

Compatibility: All LED types

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
HELENA-A	Medium	11	72.8	19	68	4.0
HELENA-B	Medium	11	72.8	24	74	2.1

EMERALD (www.ledil.com/emerald)

Compatibility:

- EMERALD: Up to 5050 size LED packages
- EMERALD-MAXI: Up to 7070 size LED packages

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
EMERALD-A	Rectangular	7.3	21.6	150 x 20	89	1.9
EMERALD-MAXI-A	Wide area lighting	12.2	33 x 25	Asymm.	92	2.0

VENLA-IRIS (www.ledil.com/venla)

Compatibility: Up to 7070 size LED packages

Name	Beam type	H	D	Typ. FWHM	Typ. eff.	Typ. cd/lm
VENLA-S-IRIS	Spot	27.2	45	16	90	8.0



HELENA-A



EMERALD-MAXI-A



VENLA-S-IRIS

SINGLE LENSES



FLARE-MAXI-T

CRYSTAL-RS

SEANNA-A

FLARE (www.ledil.com/flarefamily)

Compatibility:

- FLARE-MINI: Up to 3535 size packages
- FLARE: Up to 5050 size packages
- FLARE-MAXI: Up to 7070 size packages

Name	H	D	Typ. FWHM	Typ. eff.	Typ. cd/lm
FLARE-B	12.69	29 x 23	102 x 11	93	1.6
FLARE-C	14.55	24.5 x 24.5	87 x 8	93	3.2
FLARE-C-D	14.55	24.5 x 24.5	95 x 21	93	1
FLARE-MAXI	16.7	33.9 x 33.3	99 x 13	94	2.3
FLARE-MAXI-D	16.7	33.9 x 33.3	108 x 15	94	1.8
FLARE-MAXI-T	15.5	43 x 28.4	82+21	93	1.3
FLARE-MINI-A	8.6	16	106 x 20	94	1.1
FLARE-MINI-AD	8.6	16	98 x 19	94	1.1
FLARE-MINI-AD-PIN	8.6	16	98 x 19	94	1.1
FLARE-MINI-A-PIN	8.6	16	106 x 20	94	1
LEDIL-FLARE	16.2	23 x 25	138 x 20	92	1.3

CRYSTAL (www.ledil.com/crystal)

Compatibility: Up to 7070 size LED packages

Name	Beam type	H	D	Typ. FWHM	Typ. eff.	Typ. cd/lm
CRYSTAL-RS	Real spot	28.7	49.7	5.1	89	67.9
CRYSTAL-MINE	Spot	28.7	49.7	4.9	90	59.6

SEANNA (www.ledil.com/products)

Compatibility: Up to 7070 size LED packages

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.
SEANNA-A	Real Spot	79	152.6	2.3	87

SINGLE LENSES

RGB MIXING

GABRIELLA (www.ledil.com/gabriella)

Compatibility: Optimized for 5050 sized and compatible with 7070 RGB LEDs

Name		D	H	Typ. FWHM	Typ. eff.	Typ.cd/lm
GABRIELLA-45-S		45	29	9	90	TBA
GABRIELLA-45-M	NEW!	45	29	25	86	TBA
GABRIELLA-45-W	NEW!	45	29	36	TBA	TBA
GABRIELLA-MIDI-S	Coming soon	38	24	11	88	TBA
GABRIELLA-MIDI-M	Coming soon	38	24	TBA	TBA	TBA
GABRIELLA-MIDI-W	Coming soon	38	24	TBA	TBA	TBA

GERI (www.ledil.com/geri-rz)

Compatibility: A range of multi-color LEDs up to 7070 size packages

Name	D	H	Typ. FWHM	Typ. eff.	Typ.cd/lm
GERI-RZ	45 x 45	32.8	15	88	7.3

RGBX (www.ledil.com/products)

Compatibility: Up to 5050 size RGB LEDs

Name	D	H	Typ. FWHM	Typ. eff.	Typ.cd/lm
RGBX-M	28	30	30	70	TBA
RGBX-O	28	30	48 + 25	70	TBA
RGBX-SS	28	30	20	85	3.8
RGBX2-M	28	30	34	68	1.5
RGBX2-O	28	30	48 + 24	66	1.5
RGBX2-S	28	30	20	77	4.6



GABRIELLA-45-S

GERI-RZ

RGBX-M

SINGLE LENSES



CARMEN (www.ledil.com/carmen)

Compatibility:

- CARMEN-70: LES sizes up to 11 mm
- CARMEN-50: LES sizes up to 10 mm
- Holder B (CARMEN-70-S, -M, -W): 3rd party connectors from BJB and Stucchi
- Holder C: LEDiL HEKLA

Name	Beam type	H	D	Typ. FWHM
CARMEN-RS	NEW! Real spot	36.3	69.9	10
CARMEN-S	Spot	36.3	69.9	14
CARMEN-M	Medium	36.3	69.9	34
CARMEN-W	Wide	36.3	69.9	55
CARMEN-50-RS	NEW! Real spot	25.5	50	12
CARMEN-50-S	NEW! Spot	25.5	50	24
CARMEN-50-M	NEW! Medium	25.5	50	35
CARMEN-50-W	NEW! Wide	25.5	50	50

RONDA (www.ledil.com/ronda)

Compatibility:

- LES sizes up to 16 mm, asymmetric up to 14.5 mm
- Holder A: LEDiL twist and lock base parts, 3rd party connectors from TE, Bender+Wirth and Ideal
- Holder B: 3rd party connectors from BJB, Ideal and Stucchi
- Holder C: LEDiL HEKLA

Name	Beam type	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
RONDA-S	Spot	69.9	27	85	TBA
RONDA-W	Wide	69.9	43	87	TBA
RONDA-WW	Extra wide	69.9	62	89	TBA
RONDA-WWW	Extra ² wide	69.9	90	87	TBA
RONDA-REC-60	Rectangular	69.9	58 + 58	89	TBA
RONDA-REC-90	Rectangular	69.9	80	87	0.53
RONDA-O	Oval	69.9	49 + 30	86	1.4
RONDA-WAS	Asymm.	69.9	Asymm.	86	TBA
RONDA-WAS2	Asymm.	69.9	Asymm.	89	0.96
RONDA-ZT45	Double asymmetric	69.9	Asymm.	85	0.46

SINGLE LENSES

NEW!



MOLLY (www.ledil.com/molly)

Compatibility:

- Optimized for 14.5 mm LES and compatible up to 19 mm LES
- Compatible with LEDiL's C13658_CLAMP-VERO13-18, C14123_CLAMP-CXA15-18, C14036_CLAMP-CXA25-30
- Can be used with 3rd party 3-hook fastening solutions

Name	Beam type	H	D	Typ. FWHM
MOLLY-S	Spot	24.8	69.8	25
MOLLY-M	Medium	23.6	69.8	37
MOLLY-W	Wide	22.1	69.8	60

SINGLE LENSES



WINNIE (www.ledil.com/winniefamily)

Compatibility:

- COBs with LES sizes up to 21 mm
- 3rd party connectors from Bender+Wirth
- LEDiL HEKLA with holder C

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
WINNIE-S	Spot	19.3	49.8	22	88	3.4
WINNIE-M	Medium flood	19.3	49.8	35	86	1.8
WINNIE-W	Wide flood	19.3	49.8	50	88	1.3
WINNIE-O	Oval	19.3	49.8	63 + 24	89	1.5
WINNIE-S-C	NEW! Spot	19.3	49.8	22	TBA	3.4
WINNIE-M-C	NEW! Medium flood	19.3	49.8	35	TBA	1.8
WINNIE-W-C	NEW! Wide flood	19.3	49.8	50	TBA	1.3
WINNIE-O-C	NEW! Oval	19.3	49.8	63 + 24	TBA	1.5

OLIVIA (www.ledil.com/olivia)

Compatibility:

- LES sizes up to 19 mm
- 3rd party connectors from BJB, Stucchi, Bender+Wirth and TE

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
OLIVIA-S	Spot	22.6	70	20	77	3.3
OLIVIA-M	Medium	22.6	70	59	77	0.9

SINGLE LENSES



SAGA (www.ledil.com/sagafamily)

Compatibility:

- COB's with LES sizes up to 14 mm
- 3rd party connectors from Bender+Wirth

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
SAGA-HB-IP-WHT	High Bay	12	50	62	90	0.75
SAGA-S-WHT	Coming soon Spot	13.7	50	29	93	TBA

ZORYA (www.ledil.com/zorya)

Compatibility:

- ZORYA-SC-50: LES sizes from 6 mm to 24 mm
- LEDiL's HEKLA and 3rd party connectors from BJB and Stucchi
- ZORYA-MINI: For high power LEDs up to 7070 size packages

Name		Height	Dimensions	Typ. eff.	Typ. FWHM
ZORYA-SC-50	BJB 47.319.2021 compatible	35	55	97	245
ZORYA-MINI	PC lens	14.6	22	98	145
ZORYA-SC-ADAPTER-HEKLA	HEKLA adapter				

MULTI-LENS ARRAYS

MULTI-LENS ARRAYS

SATU (www.ledil.com/satu)

Compatibility: Up to 3535 size LED packages

Name	Beam type	LEDs	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
SATU-M	Medium	3	8.9	21.8	27	91	2.9
SATU-O	Oval	3	8.9	21.8	42 x 22	86	2.5
SATU-S	Spot	3	8.9	21.8	19	90	4.9
SATU-W	Wide	3	8.9	21.8	33	86	1.9

CUTE (www.ledil.com/cute)

Compatibility: Up to 5050 size packages

Name	Beam type	LEDs	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
CUTE-3-M	M	3	15	35	24	88	3.8
CUTE-3-S	S	3	15	35	11	TBA	TBA
CUTE-3-SS	SS	3	15	35	12	90	11.3
CUTE-3-W	W	3	15	35	39	83	1.6
CUTE-3-WW	WW	3	15	35	58	93	TBA
CUTE-4-M	M	4	15	35	22	84	4.26
CUTE-4-SS	SS	4	15	35	11	88	13.2
CUTE-4-W	W	4	15	35	38	TBA	TBA

GT3 (www.ledil.com/gt3)

Compatibility: Up to 3535 size LED packages

Name	Beam type	LEDs	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
GT3-M	M	3	9	35	30	89	2.2
GT3-S	S	3	9	35	18	90	4.5
GT3-W	W	3	9	35	40	88	1.6
GT3-WW	WW	3	9	35	47	90	1.1

GT4 (www.ledil.com/gt4)

Compatibility: Up to 3535 size LED packages

Name	Beam type	LEDs	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
GT4-M	M	4	9	35	28	88	2.5
GT4-S	S	4	9	35	21	90	3.3
GT4-W	W	4	9	35	38	89	1.7
GT4-WW	WW	4	9	35	53	90	1.1

ANGIE (www.ledil.com/angie)

Compatibility: Up to 3535 size LED packages

Name	Beam type	LEDs	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
ANGIE-S	S		10,7	34	12	93	11.8
ANGIE-M	M		10,7	34	19	89	6.2
ANGIE-M2	M2		10,7	34	26	88	3.3
ANGIE-W	W		10,7	34	29	84	2.4



SATU-O



CUTE



GT3-M

GT4



ANGIE-S

TAMPA (www.ledil.com/tampa)

Compatibility: Up to 3535 size LED packages

Name	Beam type	LEDs	H	D	Typ. FWHM	Typ. Eff.
NIS83-MX-7-M	M	7	11.4	38	20	90
NIS83-MX-7-MD	MD	7	11.4	38	22	91
NIS83-MX-7-W	W	7	11.4	38	37	89
NIS83-MX-7-WW	WW	7	11.4	38	57	87
RER-7-MD	MD	7	10.6	38	33	85
RER-7-S	S	7	10.6	38	19	89
RER-7-W	W	7	10.6	38	41	82
RER-7-WW	WW	7	10.6	38	53	90

QUAK (www.ledil.com/quak)

Compatibility: Up to 3535 size LED packages

Name	Beam type	LEDs	H	D	Typ. FWHM
NIS83-MX-4-SS	SS	4	15.23	50	15
NIS83-MX-4-M	M	4	15.23	50	21
NIS83-MX-4-W	W	4	15.23	50	49

ANNA (www.ledil.com/anna)

Compatibility: Up to 3535 size LED packages

Name	Beam type	LED sources	D	H	Typ. FWHM	Typ. Eff.	Typ. cd/lm
ANNA-40-3-M	M	3	40	10.7	22	88	3.7
ANNA-40-4-M		4					
ANNA-40-5-M		5					
ANNA-40-6-M		6					
ANNA-40-7-M		7					
ANNA-50-3-M	M	3	50	10.7	25	87	3.2
ANNA-50-4-M		4					
ANNA-50-5-M		5					
ANNA-50-6-M		6					
ANNA-50-7-M		7					
ANNA-40-3-S	S	3	40	10.7	15	91	8.5
ANNA-40-4-S		4					
ANNA-40-5-S		5					
ANNA-40-6-S		6					
ANNA-40-7-S		7					
ANNA-50-3-S	S	3	50	10.7	32	86	1.9
ANNA-50-4-S		4					
ANNA-50-5-S		5					
ANNA-50-6-S		6					
ANNA-50-7-S		7					
ANNA-40-7-S-PC	S	7	40	10.7	15	85	TBA
ANNA-40-3-W		3					
ANNA-40-4-W		4					
ANNA-40-5-W		5					
ANNA-40-6-W		6					
ANNA-40-7-W	W	7	40	10.7	32	86	1.9
ANNA-50-3-W		3					
ANNA-50-4-W		4					
ANNA-50-5-W		5					
ANNA-50-6-W		6					
ANNA-50-7-W	WW	7	40	12.5	64	90	0.9
ANNA-40-7-WW		6					



NIS83-MX-7-M



NIS83-MX-4-M



ANNA-50-5-S

MULTI-LENS ARRAYS



MELODY (www.ledil.com/melody)

Compatibility: Up to 3535 size LED packages

Name	Beam type	LEDs	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
MELODY-4-M	M	4	11.9	50.6	29	89	2.8
MELODY-3-M	M	3	11.9	50.6	34	92	2.1
MELODY-4-S	S	4	11.9	50.6	12	89	14.8

TUIJA (www.ledil.com/tuija)

Compatibility: Up to 3535 size LED packages

Name	Beam type	LEDs	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
TUIJA-3-M	M	3	14.5	50	16	84	5.6
TUIJA-3-M2	M	3	14.5	50	35	87	2
TUIJA-3-SS	SS	3	14.5	50	12	90	12.9
TUIJA-3-W	W	3	14.5	50	53	86	0.9

SANDRA (www.ledil.com/sandra)

Compatibility: Up to 3535 size LED packages

Name	Beam type	LEDs	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
SANDRA-12-M	Medium	12	11.1	67	28	88	2.4
SANDRA-12-W	Wide	12	11.1	67	31	88	2.4
SANDRA-12-S	Spot	12	11.1	67	14	91	13.2
SANDRA-12-O	Oval	12	11.1	67	42 + 19	90	2.8

MULTI-LENS ARRAYS

VIRPI (www.ledil.com/virpifamily)

Compatibility: Up to 3535 size LED packages

Name	Beam type	LEDs	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
VIRPI-S	Spot	25	9.4	74.9 x 74.9	15	94	7.5
VIRPI-M	Medium	25	9.4	74.9 x 74.9	29	92	2.7
VIRPI-W	Wide	25	9.4	74.9 x 74.9	42	91	1.6

PETUNIA (www.ledil.com/petuniafamily)

Compatibility: Up to 3535 size LED packages

Name	LEDs	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
PETUNIA	12	7.4	29.5 x 46.5	29	91	2.2

IDA (www.ledil.com/idafamily)

Compatibility: Up to 3535 size mid-power LED packages

Name	Beam type	LEDs	H	D	Typ. FWHM	Typ. Eff.
IDA16-M	Narrow	16	9.2	50 x 50	40	92
IDA16-WW	Very wide	16	9.2	50 x 50	71	93
IDA16-O	Oval	16	9.2	50 x 50	90 + 33	92

LUCIA (www.ledil.com/lucia)

Compatibility: Up to 7070 size LED packages

Name	Beam type	LEDs	H	D	Typ. FWHM	Typ. eff.	Typ. cd/lm
LUCIA-S	Spot	4	34.68	90 x 90	15	93	21.2
LUCIA-D	Diffused spot	4	34.68	90 x 90	7	88	37.5



FLORENTINA-family

LEDiL's
FLORENTINA
product family is the
most versatile package
for indoor lighting when it
comes to different fastening
and customization possibilities

COMPATIBILITY

12x1: LEDiL standard TINA/TINA2 lenses
(up to 3535 LED size packages)

1, 2x2, 4x1, -OPEN: LEDiL standard ROSE
lenses up to 5050 size and ROSE-MRK
lenses up to 7070 size LED packages

FLORENTINA-1 2X1 (www.ledil.com/florentina)

Name	Beam type	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
FLORENTINA-RS	Real spot	25.1	29 x 287	11	84	16.74
FLORENTINA-SS	Smooth spot	25.1	29 x 287	21	85	5.88
FLORENTINA-M	Medium	25.1	29 x 287	29	81	3.28
FLORENTINA-O	Oval	25.1	29 x 287	35 + 12	83	5.05
FLORENTINA-D	Diffused spot	25.1	29 x 287	13	84	9.62
FLORENTINA-W	Wide	25.1	29 x 287	42	84	1.75
FLORENTINA-BW	Coming soon. Batwing	25.1	29 x 287	60	81	TBA

FLORENTINA-1 (www.ledil.com/florentina-1)

Name	Beam type	H	D	Typ. FWHM	Typ. eff.	Typ. cd/lm
FLORENTINA-1-SS-60	Smooth spot	31.9	39.7 x 39.7	18	83	7
FLORENTINA-1-RS-60	Real spot	31.9	39.7 x 39.7	16	80	9.3
FLORENTINA-1-D-60	Diffused spot	31.9	39.7 x 39.7	21	77	5.1
FLORENTINA-1-M-60	Medium	31.9	39.7 x 39.7	31	78	2.6
FLORENTINA-1-O-60	Oval	31.9	39.7 x 39.7	44 + 20	72	2.8
FLORENTINA-1-W-60	Wide	31.9	39.7 x 39.7	44	71	1.3
FLORENTINA-1-MRK-S-60	Spot	31.9	39.7 x 39.7	26	68	2.3
FLORENTINA-1-MRK-M-60	Medium	31.9	39.7 x 39.7	40	75	1.4
FLORENTINA-1-MRK-W-60	Wide	31.9	39.7 x 39.7	57	70	0.7

FLORENTINA-2X2 (www.ledil.com/florentina-2x2)

Name	Beam type	H	D	Typ. FWHM	Typ. eff.	Typ. cd/lm
FLORENTINA-2X2-SS	Smooth spot	17.7	95.6 x 95.6	20	79	5.4
FLORENTINA-2X2-RS	Real spot	17.7	95.6 x 95.6	16	78	7.4
FLORENTINA-2X2-D	Diffused spot	17.7	95.6 x 95.6	19	77	5.5
FLORENTINA-2X2-M	Medium	17.7	95.6 x 95.6	30	75	2.4
FLORENTINA-2X2-O	Oval	17.7	95.6 x 95.6	44 + 18	70	2.5
FLORENTINA-2X2-W	Wide	17.7	95.6 x 95.6	49	70	1.0
FLORENTINA-2X2-MRK-S	Spot	17.7	95.6 x 95.6	28	68	2.1
FLORENTINA-2X2-MRK-M	Medium	17.7	95.6 x 95.6	42	74	1.4
FLORENTINA-2X2-MRK-W	Wide	17.7	95.6 x 95.6	53	94	0.7

Also available with white shade

FLORENTINA-4X1 (www.ledil.com/florentina-4x1)

Name	Beam type	H	D	Typ. FWHM	Typ. eff.	Typ. cd/lm
FLORENTINA-4X1-SS	Smooth spot	17.7	175.6 x 55.6	16	81	8.5
FLORENTINA-4X1-RS	Real spot	17.7	175.6 x 55.6	TBA	TBA	
FLORENTINA-4X1-D	Diffused spot	17.7	175.6 x 55.6	18	77	6.6
FLORENTINA-4X1-M	Medium	17.7	175.6 x 55.6	30	75	2.4
FLORENTINA-4X1-O	Oval	17.7	175.6 x 55.6	44 + 15	74	3.0
FLORENTINA-4X1-W	Wide	17.7	175.6 x 55.6	36	69	1.5
FLORENTINA-4X1-MRK-S	Spot	17.7	175.6 x 55.6	28	TBA	2.1
FLORENTINA-4X1-MRK-M	Medium	17.7	175.6 x 55.6	39	75	1.5
FLORENTINA-4X1-MRK-W	Wide	17.7	175.6 x 55.6	49	73	0.8

Also available with white shade

FLORENTINA-OPEN (www.ledil.com/open)

Name	Beam type	H	D	Typ. FWHM	Typ. eff.	Typ. cd/lm
FLORENTINA-2X2-OPEN-SS	Smooth spot	17.7	91.1 x 91.1	17	83	7.6
FLORENTINA-2X2-OPEN-RS	Real spot	17.7	91.1 x 91.1	15	80	6.2
FLORENTINA-2X2-OPEN-D	Diffused spot	17.7	91.1 x 91.1	18	80	6.2
FLORENTINA-2X2-OPEN-M	Medium	17.7	91.1 x 91.1	30	80	2.7
FLORENTINA-2X2-OPEN-O	Oval	17.7	91.1 x 91.1	44 + 17	73	2.7
FLORENTINA-2X2-OPEN-W	Wide	17.7	91.1 x 91.1	49	70	1.0
FLORENTINA-2X2-MRK-OPEN-S	Spot	17.7	91.1 x 91.1	29	71	2.0
FLORENTINA-2X2-MRK-OPEN-M	Medium	17.7	91.1 x 91.1	39	75	1.5
FLORENTINA-2X2-MRK-OPEN-W	Wide	17.7	91.1 x 91.1	49	74	0.8
FLORENTINA-4X1-OPEN-SS	Smooth spot	17.7	91.1 x 91.1	17	78	6.6
FLORENTINA-4X1-OPEN-RS	Real spot	17.7	91.1 x 91.1	18	77	8.2
FLORENTINA-4X1-OPEN-D	Diffused spot	17.7	91.1 x 91.1	18	77	6.6
FLORENTINA-4X1-OPEN-M	Medium	17.7	91.1 x 91.1	30	75	2.6
FLORENTINA-4X1-OPEN-O	Oval	17.7	91.1 x 91.1	41 + 17	71	2.9
FLORENTINA-4X1-OPEN-W	Wide	17.7	91.1 x 91.1	45	70	1.3
FLORENTINA-4X1-MRK-OPEN-S	Spot	17.7	91.1 x 91.1	29	71	2.0
FLORENTINA-4X1-MRK-OPEN-M	Medium	17.7	91.1 x 91.1	39	75	1.5
FLORENTINA-4X1-MRK-OPEN-W	Wide	17.7	91.1 x 91.1	49	74	0.8

LINEAR LENSES

FLORENCE-family (www.ledil.com/florence-family)

FLORENCE-1R

Compatibility: Mid-power LEDs up to 5630 package size

Name	Beam type	Typ. FWHM	Typ. eff.	Typ. cd/lm
FLORENCE-1R-Z90	Extra wide	90 + 110	94	0.4
FLORENCE-1R-Z60	Medium	58 + 111	94	0.6
FLORENCE-1R-ZT25	Asymmetric	TBA	86	1.0
FLORENCE-1R-ZT25	Double asymm.	106 + 80	92	0.49
FLORENCE-1R-O	Oval	96 + 32	94	0.9
FLORENCE-1R-MAXI-WG	Asymmetric	TBA	94	1.4
FLORENCE-1R-UP	Wide area lighting	TBA	TBA	TBA
FLORENCE-1R-CLIP-A	Clip for installation with 40 mm wide boards			
FLORENCE-1R-CLIP-B	Clip for installation on a profile			
FLORENCE-1R-CLIP-C	Clip for fastening of FLORENCE-1R optics and 24 mm wide Zhaga modules			

FLORENCE-1R-GC

Compatibility: Mid-power LEDs up to 5630 package size

Name	Beam type	Typ. FWHM	Typ. eff.	Typ. cd/lm
FLORENCE-1R-GC-Z60	Wide	70	94	0.72
FLORENCE-1R-GC-Z90	Rectangular	90	94	TBA
FLORENCE-1R-GC-ZT25	Asymmetric	TBA	TBA	TBA

FLORENCE (3R)


Compatibility: Range of 3 x 11 high-power LED modules with up to 5050 size packages

Name	Beam type	Typ. FWHM	Typ. eff.	Typ. cd/lm
FLORENCE-Z30	M	29	94	2.2
FLORENCE-Z60	W	58	88	0.8
FLORENCE-Z90	WWW	92	86	0.4
FLORENCE-Z90-B	WWW	92	90	0.4
FLORENCE-ZT25	Asymmetric	Asymm.	94	0.6
FLORENCE-O	Oval	84 + 35	89	TBA
FLORENCE-ZT25-S	Single-sided asymmetric oval	Asymm.	94	0.6
FLORENCE-3R-SHD-BLK	Black shade to obtain lower UGR			
FLORENCE-3R-SHD-GR	Grey shade to obtain lower UGR			
FLORENCE-3R-SHD-WHT	White shade			

FLORENCE-3R-IP

Compatibility: Range of 3 x 11 mid-power LED modules up to 5630 size packages

Name	Beam type	Typ. FWHM	Typ. eff.	Typ. cd/lm
FLORENCE-3R-IP-Z60	W	60	86	0.72
FLORENCE-3R-IP-Z90	WWW	TBA	TBA	TBA
FLORENCE-3R-IP-O	Oval	84 + 40	86	0.68



(3R) Z30 ~7 meters

(3R) Z60 ~5 meters

(3R) Z90 ~3.5 meters

LINEAR LENSES

FLORENCE-family

FLORENCE-1R

FLORENCE-1R lenses are designed for single row mid-power LED modules. The lenses can be easily snapped apart into single 95 mm

pieces. Narrow width makes it easy to achieve sleek and stylish linear luminaire design. Easy installation with optional clips makes

manufacturing fast and cost efficient. Linear optical design compatible with any LED pitch.




FLORENCE-1R-GC

- Fixed led pitch of 24 x 11.62 mm
- Excellent longitudinal glare control to allow below 19 UGR ratings
- Optimized LED layout to increase light in the desired area
- Special surface smoothens out and removes unwanted color-over-angle artefacts
- Optional clips available for easier installation and to form continuous rows



FLORENCE-3R-IP

- Up to IP67 rated PC lens for fluorescent light replacements
- Perfect for industrial halls affected by moisture and dust
- Compact and efficient design with high impact resistance




FLORENCE (3R)

The FLORENCE-3R family offers 6 optical versions optimized for efficient lighting in industrial and

architectural applications. For architectural and retail applications where glare may be an issue,

UGR can be decreased below 19 with the optional FLORENCE-SHD shades.



LINEAR LENSES

VANESSA (www.ledil.com/vanessafamily)

Compatibility: Up to 3535 size LED packages

Name	Beam type	LEDs	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
VANESSA-M	Medium	12	8	295 x 16	26	89	TBA
VANESSA-O	Oval	12	8	295 x 16	42 + 19	82	TBA
VANESSA-S	Spot	12	8	295 x 16	17	90	TBA
VANESSA-B-O	Oval	12	8	295 x 16	45 + 21	88	1.8
VANESSA-B-S	Spot	12	8	295 x 16	22	93	4.1
VANESSA-B-W	Wide	12	8	295 x 16	37	92	1.73

SHELLY (www.ledil.com/shelly)

Compatibility: Up to 3535 size LED packages

Name	H	D	Typ. FWHM	Typ. Eff.
SHELLY-T-6X1-N	7	119.8 x 19.6	Asymm.	94
SHELLY-T-6X1-WAS	7.6	119.8 x 19.6	Asymm.	94



LINEAR LENSES



LINNEA (www.ledil.com/linnea)

The regular LINNEA and its clips are designed to be fastened on 1.0 mm thick and LINNEA-B for 0.5 mm thick installation surfaces

Compatibility: Optimized for the most common Zhaga mid-power 20 and 24 mm wide PCBs

Name	H	D	Typ. FWHM	Typ. Eff.
LINNEA-90	9.5	285 x 40	90	85
LINNEA-60	12	285 x 40	60	85
LINNEA-O	12	285 x 40	35 + 70	81
LINNEA-ZT25	10.3	285 x 40	Asymm.	87
LINNEA-ZT25	9.5	285 x 40	Asymm.	80
LINNEA-UP	Coming soon	285 x 40	Asymm.	79
LINNEA-90-B	9.5	285 x 40	90	85
LINNEA-60-B	12	285 x 40	60	85
LINNEA-O-B	12	285 x 40	35 + 70	81
LINNEA-ZT25-B	10.3	285 x 40	Asymm.	87
LINNEA-ZT25-B	9.5	285 x 40	Asymm.	80
LINNEA-UP-B	Coming soon	285 x 40	Asymm.	79
LINNEA-XX*-END-ML	Short end cap (male) - Clips for 1.0 mm thick metal sheet assembly with LINNEA			
LINNEA-XX*-END-FL	Short end cap (female) - Clips for 1.0 mm thick metal sheet assembly with LINNEA			
LINNEA-XX*-END-B-ML	Long end cap (male) - Clips for 0.5 mm thick metal sheet assembly with LINNEA-B			
LINNEA-XX*-END-B-FL	Long end cap (female) - Clips for 0.5 mm thick metal sheet assembly with LINNEA-B			

* Optical variant

REFLECTORS

REFLECTORS

MINNIE (www.ledil.com/minnie)

Available with or without holder. Diameter 35 mm (32.4 mm without holder), typical height ≈15 mm.

Compatibility: Up to 7070 size LED packages

Name	Beam type	Typ. FWHM	Typ. Eff.	Typ. cd/lm
MINNIE-M	Medium	24	90	2.6
MINNIE-W	Wide	33	89	2
MINNIE-WWW	Extra wide	69	91	0.9
MINNIE-XW	Extra ² wide	90	92	0.5
MINNIE-LT-M	Medium	21	92	2
MINNIE-LT-W	Wide	29	92	2
MINNIE-LT-WWW	Extra wide	62	93	0.87
MINNIE-LT-XW	Extra ² wide	TBA	TBA	TBA



BOOM (www.ledil.com/boom)

Compatibility: Up to 7070 size LED packages

Name	H	D	Typ. FWHM	Typ. cd/lm
BOOM-M	14	22.2	32	1.9
BOOM-S	14	22.2	18	3.6
BOOM-W	14	22.2	55	1.1
BOOM-XW	14	22.2	70	0.67



BRIDGET (www.ledil.com/products)

Compatibility:

Up to 7070 size LED packages and COB's with LES size up to 10 mm

Name	H	D	Typ. FWHM	Typ. eff.	Typ. cd/lm
BRIDGET-S-UNI	12.8	22.6	44	85	1.0
BRIDGET-M-UNI	12.8	22.6	52	84	1.1
BRIDGET-W-UNI	12.8	22.6	61	87	1.0

VENLA (www.ledil.com/venla)

Compatibility: Up to 7070 size LED packages

Name	H	D	Typ. FWHM	Typ. eff.
VENLA-S	25	45	13	TBA
VENLA-M	25	45	28	90
VENLA-W	25	45	45	TBA
VENLA-WW	25	45	56	87
VENLA-S-IRIS	25	45	18	93



RITA (www.ledil.com/rita)

Compatibility: Up to 5050 size LED packages


Name	Beam type	H	D	Typ. eff.	Typ. cd/lm
RITA-A	Asymm.	17	36 x 28.4	87	0.6
RITA-WAS	Asymm.	17	31.9x28.4	85	0.63
RITA-A-RZ	Asymm.	19	35 x 29	82	0.6
RITA-WAS-RZ	Asymm.	19	35 x 29	80	0.6

BLONDIE (www.ledil.com/blondie)

Comes with three interchangeable inserts for backside light shaping.

Compatibility: Up to 7070 size LED packages

Name	H	D	Beam type
BLONDIE-A	45	92 x 78.3	Decorative



LEDiL's System Reflectors

One luminaire to qualify them all. Change only the reflector to use same fixture for multiple purposes. Wide LED and fastening compatibility with additional sockets for twist and turn or press fit installations. Enhance with the LEDiL's patented RZ-technology for smoother uniform light patterns.



BROOKE

BROOKE-G2 (www.ledil.com/brooke-g2)

Compatibility: COBs with LES size up to 19 mm

Name	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
BROOKE-G2-S	19.7	45	18	92	TBA
BROOKE-G2-M	19.7	45	28	92	TBA
BROOKE-G2-W	19.7	45	47	92	TBA

Additional accessories

BARBARA-RZ-LENS Color mixing sublens
LEDiL HEKLA Sockets (Check compatibility on page 39 or www.ledil.com)



BROOKE (www.ledil.com/brooke)

Compatibility: COB's with LES size up to 18 mm

Name	Typ. FWHM	Typ. Eff.	Typ. cd/lm
BROOKE-S	24	94	5.2
BROOKE-M	28	92	2.2
BROOKE-SCR-M	24	91	2.5
BROOKE-SCR-W	42	91	1.2
BROOKE-W	46	92	1.24
BROOKE-XW	86	94	0.53
BROOKE-SOCKET-VERO10	Socket to position and hold BRX Vero10		



MIRELLA-family

Ø50 mm LEDiL System Reflectors compatible with various accessories, sockets and solderless connectors

MIRELLA

Glue or mechanical mounting using flange

Compatibility: COBs with LES size up to 14 mm

Name	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
MIRELLA-50-S	24	49.9	15	92	8.5
MIRELLA-50-M	24	49.9	27	90	2.8
MIRELLA-50-W	24	49.9	41	90	1.6
MIRELLA-50-XW	24	49.9	80	93	0.54

Additional accessories

MIRELLA-CL	Clear lens
MIRELLA-DL	Diffused lens
MIRELLA-RZL	Color mixing lens

MIRELLA-PIN

Location pins for easy alignment

Compatibility: COBs with LES size up to 14 mm

Name	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
MIRELLA-50-S-PIN	24	49.9	11	87	12.3
MIRELLA-50-M-PIN	24	49.9	23	86	3.2
MIRELLA-50-W-PIN	24	49.9	33	86	1.6
MIRELLA-50-XW-PIN	24	49.9	80	93	0.6

Additional accessories

MIRELLA-CL	Clear lens
MIRELLA-DL	Diffused lens
MIRELLA-RZL	Color mixing lens



MIRELLA-PF

Press-fit fastening with LEDiL sockets

Compatibility:

- COBs with LES size up to 14 mm
- 3rd party connectors from Bender+Wirth and Ideal

Name	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
MIRELLA-50-S-PF	24	49.9	17	88	5.4
MIRELLA-50-M-PF	24	49.9	32	88	1.9
MIRELLA-50-W-PF	24	49.9	43	87	1.3
MIRELLA-50-XW-PF	24	49.9	78	92	0.6

Additional accessories

MIRELLA-CL	Clear lens
MIRELLA-DL	Diffused lens
MIRELLA-RZL	Color mixing lens

LEDiL PF Sockets

XTM-PF-ADAPTER
SOCKET-CXA15-18
SOCKET-CXA15
PF-NSX-SOCKET
PF-SOCKET
SOCKET-VERO10
SOCKET-VERO13/18

MIRELLA-G2

Compatible with LEDiL HEKLA connectors/sockets

Compatibility: COBs with LES size up to 14 mm

Name	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
MIRELLA-G2-S	24.8	49.9	15	90	6.6
MIRELLA-G2-M	24.8	49.9	20	90	3.4
MIRELLA-G2-W	24.8	49.9	31	91	1.9
MIRELLA-G2-WW	24.8	49.9	60	85	1.3

Additional accessories

MIRELLA-CL	Clear lens
MIRELLA-DL	Diffused lens
MIRELLA-RZL	Color mixing lens

LEDiL HEKLA connectors and sockets (Check compatibility on page 39 or www.ledil.com)

BARBARA-family

Ø70 mm LEDiL System Reflectors compatible with various accessories, sockets and solderless connectors.

BARBARA

Glue or mechanical mounting using flange

Compatibility: COBs with LES size up to 19 mm

Name	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
BARBARA-S	44.7	70	17	90	4.5
BARBARA-W	44.7	70	39	90	2.0
BARBARA-WW	44.7	70	60	90	0.8
BARBARA-XW	44.7	70	75	90	0.5



BARBARA-PF

Press-fit fastening for LEDiL sockets

Compatibility:

- COBs with LES size up to 19 mm
- 3rd party connectors from Bender+Wirth

Name	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
BARBARA-S-PF	41.7	70	21	88	TBA
BARBARA-W-PF	41.7	70	28	85	TBA
BARBARA-WW-PF	41.7	70	64	84	TBA
BARBARA-XW-PF	41.7	70	74	90	TBA

Additional accessories

BARBARA-RZ-LENS	Color mixing sublens
LEDiL PF Sockets	
XTM-PF-ADAPTER	Adapter ring for Xicato XTM/XIM modules
SOCKET-CXA15-18	
SOCKET-CXA15	
PF-NSX-SOCKET	
PF-SOCKET	
SOCKET-VERO10	
SOCKET-VERO13/18	



COMING



BARBARA-G2

Compatible with LEDiL HEKLA connectors/sockets

Compatibility: COBs with LES size up to 18 mm

Name	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
BARBARA-G2-S	41.9	70	13	TBA	TBA
BARBARA-G2-M	41.9	70	25	TBA	TBA
BARBARA-G2-W	41.9	70	40	TBA	TBA
BARBARA-G2-WW	41.9	70	55	TBA	TBA

Additional accessories

BARBARA-RZ-LENS	Color mixing sublens
LEDiL HEKLA connectors and sockets (Check compatibility on page 39 or www.ledil.com)	

Coming

LENA / LENINA

Ø111 mm LEDiL System Reflectors compatible with various sublenses and sockets.

LENA (www.ledil.com/lenafamily)

Compatibility:

- COBs with LES size up to 35 mm
- 3rd party connectors from Ideal, Stucchi and Bender+Wirth,

Name	Beam type	D	H	Typ. FWHM	Typ. Eff.	Typ. cd/lm
LENA-M	M	111	86	22	83	2.5
LENA-S	S	111	86	11	85	7.6
LENA-SS	SS	111	86	18	82	5
LENA-W	W	111	86	46	82	1.3
LENA-WAS	WAS	111	37	Asym	82	1.1

Additional accessories

LENA-LENS	Diffuser lens
LENA-CLEAR-LENS	Clear lens

LENINA (www.ledil.com/leninafamily)

Compatibility:

- COBs with LES size up to 35 mm
- 3rd party connectors from Ideal, Stucchi and Bender+Wirth

Name	Beam type	D	H	Typ. FWHM	Typ. Eff.	Typ. cd/lm
LENINA-M	M	74	46	31	87	2.1
LENINA-S	S	74	46	19	88	4.5
LENINA-W	W	74	46	53	87	1.1
LENINA-XW	XW	74	46	73	89	0.6

Additional accessories

LENINA-DL	Diffuser lens
LENINA-CL	Clear lens

Base parts for LENA/LENINA

Name	
LENA-ADAPTER-B	Adapter ring for BJB interface
LENA-STD-BASE-CXA15	
LENA-STD-BASE-CXA20	
LENA-STD-BASE-CXA18	
LENA-STD-BASE-CXA25	
LENA-STD-BASE-CL340	
LENA-STD-BASE-CLL030	
LENA-STD-BASE-CLL040	
LENA-STD-BASE-BXRA	
LENA-STD-BASE-BASE-RS	
LENA-STD-BASE-VERO13-18	
LENA-STD-BASE-VERO29	
LENA-STD-BASE-MEZ	
LENA-STD-BASE-LUXEON-K	
LENA-STD-BASE-COB204	
LENA-STD-BASE-E30	



ANGELA/ANGELINA/ANGELETTE

Ø120 mm, Ø82 mm and Ø110 mm reflector families part of the LEDiL System Reflectors. ANGELA/ANGELINA/ANGELETTE-B versions available with BJB compatible interface.

ANGELA (www.ledil.com/angela-family)

Compatibility:

- COBs with LES size up to 32 mm
- 3rd party connectors from Ideal, Bender+Wirth, TE and Molex

Name	Beam type	D	H	Typ. FWHM	Typ. Eff.	Typ. cd/lm
ANGELA-S	Spot	119.5	74.27	25	89	3.2
ANGELA-M	Medium	119.5	74.27	32	89	2.5
ANGELA-W	Wide	119.5	74.27	46	89	1.4
ANGELA-XW	Wide	119.5	74.27	72	93	0.6

ANGE-RZ Color mixing sublens

ANGELINA (www.ledil.com/angelina-family)

Compatibility:

- COBs with LES size up to 32 mm
- 3rd party connectors from Ideal, Bender+Wirth, TE and Molex

Name	Beam type	D	H	Typ. FWHM	Typ. Eff.	Typ. cd/lm
ANGELINA-S	Spot	82	31	20	90	1.2
ANGELINA-M	Medium	82	31	32	92	1.6
ANGELINA-W	Wide	82	31	47	92	1.1
ANGELINA-XW	Extra wide	82	31	91	93	0.46

ANGE-RZ Color mixing sublens

ANGELETTE (www.ledil.com/angelette-family)

Compatibility:

- COBs with LES size up to 32 mm
- 3rd party connectors from Ideal, Bender+Wirth, TE and Molex

Name	Beam type	D	H	Typ. FWHM	Typ. Eff.	Typ. cd/lm
ANGELETTE-S	Spot	110	57.3	15	90	5.3
ANGELETTE-M2	Coming	110	57.3	35	TBA	TBA
ANGELETTE-M	Medium	110	57.3	50	89	1.2
ANGELETTE-WW	Extra wide	110	57.3	70	90	0.8
ANGELETTE-WAS	Asymm.	97.2 x 83.4	84	Asymm.	92	1.4

ANGE-RZ Color mixing sublens

ANGELETTE-LENS Clear lens for symmetrical ANGELETTE reflectors

ANGELETTE-DL Diffusing lens for symmetrical ANGELETTE reflectors

Name	Beam type	D	H	Typ. FWHM	Typ. Eff.	Typ. cd/lm
ANGELETTE-S-PLAIN	Spot	110	57.3	10	89	8.1
ANGELETTE-M-PLAIN	Medium	110	57.3	50	89	1.2
ANGELETTE-WW-PLAIN	Extra wide	110	57.3	63	89	1.1

ANGE-RZ Color mixing sublens

Base parts for ANGELA/ANGELINA/ANGELETTE

Name	
CLAMP-CXA15-18	For Cree CXA15 & 18
CLAMP-CXA25-30	For Cree CXA25 & 30
CLAMP-VERO13-18	For Bridgelux Vero13 & 18
CLAMP-VERO29	For Bridgelux Vero29
CLAMP-S2000	
CLAMP-S3000	For Lumileds LUXEON Sxxxx
CLAMP-S5000	





HEKLA

MIRELLA-G2
ø 50 mm

BROOKE-G2
ø 45 mm

CARMEN
ø 70 mm
ø 50 mm
incl. CARMEN-HLD-C

ZORYA
ø 55 mm
incl. ZORYA-ADAPTER-HEKLA

RONDA
ø 54 mm
incl. RONDA-HLD-C

WINNIE
ø 50 mm
incl. WINNIE-HLD-C



HEKLA

Make your connections more versatile, robust and future proof with LEDiL's new Ø44 mm HEKLA sockets and solderless connectors

- **COMPATIBILITY:** One interface for a variety of LEDiL optics, 9 variants currently supporting over 110 COBs
- **USABILITY:** Easy to use twist & lock mechanism for optics assembly and replacement
- **DURABILITY:** Long lasting materials that can handle high temperatures without losing grip
- **INNOVATION:** Same system – freedom to choose between solderless connector or mechanical socket



HEKLA Connectors

Rated voltage: 50 V

Rated current: 3 A

Certified according to following standards: EN 60838-1 :2004 + A 1 :2008 + A2:2011



Name	LED Package
FP15490_HEKLA-A	12.5 x 12.5 mm
FP15500_HEKLA-B	17.85 x 17.85 mm
FP15501_HEKLA-C	13.5 x 13.5 mm
FP15502_HEKLA-D	15.85 x 15.85 mm
FP15503_HEKLA-E	15.8 x 15.8 mm
FP15947_HEKLA-G	15 x 12 mm
FP15948_HEKLA-H	19 x 16 mm
FP15949_HEKLA-I	19 x 19 mm
FP15957_HEKLA-J	13.35 x 13.35 mm

Check the LED compatibility at www.ledil.com/hekla

HEKLA Sockets	Max LES size	Example LED
F15253_HEKLA-SOCKET-A	9.0 mm	Bridgelux V8 (G6)
F15254_HEKLA-SOCKET-B	14.2 mm	Cree CXA1850
F15255_HEKLA-SOCKET-C	11.6 mm	Citizen CLL020
F15256_HEKLA-SOCKET-D	10.7 mm	Cree CXA1520
F14988_HEKLA-SOCKET-E	14.3 mm	Bridgelux V10(G6) and V13(G6)
F15616_HEKLA-SOCKET-F		Bridgelux VERO10
F15848_HEKLA-SOCKET-G	10 mm	Sharp Mini ZENIGATA
F15858_HEKLA-SOCKET-H	14.0 mm	Lumileds Luxeon CoB 1203
F15859_HEKLA-SOCKET-I	17.0 mm	Citizen CLL03x
F15956_HEKLA-SOCKET-J	7.5 mm	Cree CXA1310
C16142_HEKLA-SOCKET-K		Vero 13 and 18, Bender+Wirth Typ L8

STRADA single lenses


www.ledil.com/strada

Compatibility:


- STRADA: Up to 3535 sized LED packages
- STRADA-SQ: Up to 7070 size LED packages




STRADA-SQ




STRADA-SQ-ANZ-P
D: 25 x 25 mm
Typ. eff.: 91%




STRADA-SQ-ANZ-V
D: 25 x 25 mm
Typ. eff.: 93%




STRADA-SQ-CY
D: 25x25 mm
H: 10.1 mm
Typ. eff.: 94%




STRADA-SQ-T2
D: 25 x 25 mm
H: 8.5 mm
Typ. eff.: 90%




STRADA-SQ-T3
D: 25 x 25 mm
H: 8.5 mm
Typ. eff.: 90%




STRADA-SQ-ME
D: 25 x 25 mm
H: 8.8 mm
Typ. eff.: 92%




STRADA-SQ-FS
D: 25 x 25 mm
H: 12.3 mm
Typ. eff.: 93%




STRADA-SQ-FS2
D: 25 x 25 mm
H: 8.2 mm
Typ. eff.: 90%




STRADA-SQ-A-T
D: 25 x 25 mm
H: 9.1 mm
Typ. eff.: 93%




STRADA-SQ-T-DN
D: 25 x 25 mm
H: 8.5 mm
Typ. eff.: 90%




STRADA-SQ-T-DW
D: 25 x 25 mm
H: 11.4 mm
Typ. eff.: 91%




STRADA-SQ-T-DWC
D: 25 x 25 mm
H: 9.1 mm
Typ. eff.: 93%




STRADA-SQ-VSM
D: 25 x 25 mm
H: 6.9 mm
Typ. eff.: 93%
Typ. FWHM: 152°




STRADA-SQ-T3B
D: 25 x 25 mm
H: 8.4 mm
Typ. eff.: 93%




STRADA-SQ-FS3
D: 25 x 25 mm
H: 16.2 mm
Typ. eff.: 91%




STRADA-SQ-FT
D: 25 x 25 mm
H: 12.5 mm
Typ. eff.: 90%




STRADA-SQ-T4
D: 25 x 25 mm
H: 9.4 mm
Typ. eff.: 93%



STRADA-SQ-T2-B
D: 25 x 25 mm
H: 10.35 mm




NEW
STRADA-SQ-PX
D: 25 x 25 mm
H: 9.2 mm
Typ. eff.: 93%




NEW
STRADA-SQ-T4-B
D: 25 x 25 mm
H: 11.85 mm
Typ. eff.: 90%


STRADA




STRADA-A
D: 19.6 x 15.5 mm
H: 10.8 mm
Typ. eff.: 92%
Typ. FWHM: 80° x 146°




STRADA-A2
D: 19.6 x 15.5 mm
H: 10.6 mm
Typ. eff.: 92%
Typ. FWHM: 72° x 141°




STRADA-B
D: 19.6 x 15.5 mm
H: 6 mm
Typ. eff.: 93%
Typ. FWHM: 105° x 44°




STRADA-B2
D: 19.6 x 15.5 mm
H: 5.3 mm
Typ. eff.: 92%
Typ. FWHM: 111° x 47°




STRADA-C
D: 19.6 x 15.5 mm
H: 5.3 mm
Typ. eff.: 92%
Typ. FWHM: 125°




STRADA-C2
D: 19.6 x 15.5 mm
H: 6.4 mm
Typ. eff.: 92%
Typ. FWHM: 120°




STRADA-C2-CLIP
D: 19.6 x 15.5 mm
H: 6.9 mm
Typ. eff.: 92%




STRADA-T-DW
D: 19.8 x 15.5 mm
H: 10.8 mm
Typ. eff.: 93%




STRADA-DN
D: 19.6 x 15.5 mm
H: 5.9 mm
Typ. eff.: 92%
Typ. FWHM: 107° x 58°




STRADA-DW
D: 19.6 x 15.5 mm
H: 9.6 mm
Typ. eff.: 92%
Typ. FWHM: 89° x 142°




STRADA-FT
D: 19.6 x 15.5 mm
H: 8.3 mm
Typ. eff.: 91%




STRADA-FW
D: 19.6 x 15.5 mm
H: 10.9 mm
Typ. eff.: 92%




STRADA-K
D: 19.6 x 15.5 mm
H: 8.7 mm
Typ. eff.: 96%




STRADA-S
D: 19.6 x 15.5 mm
H: 6.9 mm
Typ. eff.: 93%
Typ. FWHM: 149° x 159°




STRADA-S-14
D: 19.6 x 15.5 mm
H: 6.9 mm
Typ. eff.: 93%
Typ. FWHM: 149° x 159°



STRADA-T-DN-EP
D: 19.6 x 15.5 mm
H: 8.8 mm
Typ. eff.: 91%




STRADA-T-DN
D: 19.6 x 15.5 mm
H: 8.9 mm
Typ. eff.: 92%



STRADA-T-DW-EP
D: 19.6 x 15.5 mm
H: 10.7 mm
Typ. eff.: 92%

Name	Dimensions	Height	Typ. eff.	Typ. FWHM
STRADA-SQ-FS-NP	25 x 25	12.4	93	Asymm.
STRADA-SQ-ME-NP	25 x 25	8.6	93	Asymm.
STRADA-SQ-FW	25 x 25	15.3	90	Asymm.
STRADA-SQ-T4-NP	25 x 25	9.4	92	Asymm.
STRADA-SQ-T-DW-90	25 x 25	11.4	91	Asymm.
STRADA-C2-NP	19.6 x 15.6	6.9	92	Asymm.



STRADA-ME
D: 19.6 x 15.5 mm
H: 5.73 mm
Typ. eff.: 94%

STREET & AREA LIGHTING

STRADA-2X2 modules

www.ledil.com/strada-2x2


Compatibility:

- Up to 5050 sized LED packages




NEW!

Street lighting




STRADA-2X2-ME-IN
D: 50 x 50 mm
H: 6.7 mm
Typ. eff.: 94%


Area lighting




STRADA-2X2-FN
D: 50 x 50 mm
H: 10 mm
Typ. eff.: 94%
Forward throw,
Narrow beam




STRADA-2X2-DN
D: 50 x 50 mm
H: 8.05 mm
Typ. eff.: 94%
Wide beam



STRADA-2X2-XW
D: 50 x 50 mm
H: 7 mm
Typ. eff.: 94%
Wide beam




STRADA-2X2-B2-STP
D: 50 x 50 mm
H: 5.18 mm
Typ. eff.: 93%




STRADA-2X2-C-STP
D: 50 x 50 mm
H: 6.27 mm
Typ. eff.: 94%


Pedestrian crossing lighting



STRADA-2X2-PX
D: 50 x 50 mm
H: 8 mm
Typ. eff.: 94%
For right side traffic




STRADA-2X2-PXL
D: 50 x 50 mm
H: 8 mm
Typ. eff.: 94%
For left side traffic




STRADA-2X2-NHS
D: 50 x 50 mm
H: 9.8 mm
Typ. eff.: 90%

Urban lighting, Minimal backlight


High bay



STRADA-2X2-CY
D: 50x50 mm
H: 7.8 mm
Typ. eff.: 94%



STRADA-2X2-TF
D: 50 x 50 mm
H: 8.73 mm
Typ. eff.: 94%




STRADA-2X2-FS3
D: 50 x 50 mm
H: 12 mm
Typ. eff.: 94%


Tunnel lighting

STREET & AREA LIGHTING


Street lighting




STRADA-2X2-DWC
D: 50 x 50 mm
H: 6 mm
Typ. eff.: 93%




STRADA-2X2-DNW
D: 50 x 50 mm
H: 11 mm
Typ. eff.: 93%




STRADA-2X2-A-T
D: 50 x 50 mm
H: 7.3 mm
Typ. eff.: 93%




STRADA-2X2-ME
D: 50 x 50 mm
H: 8.2 mm
Typ. eff.: 94%




STRADA-2X2-ME-WIDE1
D: 50 x 50 mm
H: 8.3 mm
Typ. eff.: 84%




STRADA-2X2-ME-WIDE2
D: 50 x 50 mm
H: 7 mm
Typ. eff.: 81%




STRADA-2X2-T1
D: 50 x 50 mm
H: 7.78 mm
Typ. eff.: 94%
IESNA Type I light
distribution




STRADA-2X2-T2
D: 50 x 50 mm
H: 7.7 mm
For IESNA Type 2 road
lighting
Typ. eff.: 94%




STRADA-2X2-T2-C
D: 50 x 50 mm
H: 7.34 mm
Typ. eff.: 94%




STRADA-2X2-T3
D: 50 x 50 mm
H: 7 mm
Typ. eff.: 94%




STRADA-2X2-T4
D: 50 x 50 mm
H: 7 mm
Typ. eff.: 94%




STRADA-2X2-T4-B
D: 50 x 50 mm
H: 9.02 mm
Typ. eff.: 93%




STRADA-2X2-VSM
D: 50 x 50 mm
H: 6.14 mm
Typ. eff.: 94%
IESNA Type V Short




STRADA-2X2-CAT
D: 50 x 50 mm
H: 6.2 mm
Typ. eff.: 94%
For catenary
luminaires




STRADA-2X2-CAT-B
D: 50 x 50 mm
Typ. eff.: 94%



STRADA-2X2-SCL
D: 50 x 50 mm
H: 7.8 mm
Typ. eff.: 94%
European S-class
lighting



STRADA-2X2-MEW
D: 50 x 50 mm
H: 10.16 mm
Typ. eff.: 88%
ME for wet roads



STRADA-2X2-FW
D: 50 x 50 mm
H: 11.98 mm
Typ. eff.: 92%

STRADA-2X2CSP (www.ledil.com/products)

NEW!

Compatibility:

- Designed for cost driven CSP (chip scale package) LEDs, and optimized for high-power CSPs
- Can be used with a cluster of 4 CSP LEDs under one optic

Name	Height	Dimensions	Typ. eff.	Typ. FWHM
STRADA-2X2CSP-SCL	7.49	50 x 50	94	Asymm.
STRADA-2X2CSP-VSM	6.95	50 x 50	94	Asymm.
STRADA-2X2CSP-T2	7.7	50 x 50	94	Asymm.
STRADA-2X2CSP-T3	TBA	50 x 50	TBA	Asymm.
STRADA-2X2CSP-T4-B	6.84	50 x 50	94	Asymm.
STRADA-2X2CSP-ME	6.6	50 x 50	93	Asymm.


STRADA-2X2MX modules

www.ledil.com/2x2mx


Compatibility:

- Super high-power LEDs up to 7070 size packages


2X2^{mx}




STRADA-2X2MX-8-DWC
D: 90 x 90 mm
H: 11.3 mm
Typ. eff.: 94%
PMMA




STRADA-2X2MX-8-VSM
D: 90 x 90 mm
H: 13.4 mm
PMMA
Typ. eff.: 94%
Type V street lighting




STRADA-2X2MX-8-SCL
D: 90 x 90 mm
H: 13.17 mm
PMMA
S class lighting applications



STRADA-2X2MX-8-T4-B
D: 90 x 90 mm
PMMA
Widest IESNA Type IV Forward throwing beam



STRADA-2X2MX-8-T2
D: 90 x 90 mm
H: 12.57 mm
PMMA
Type II road lighting beam




STRADA-2X2MX-8-T2-S
D: 90 x 90 mm
H: 11.13 mm
PMMA
Typ. eff.: 94%
IESNA Type II Short beam for high or dense pole setups

Silicone STRADA-2X2MXS modules


www.ledil.com/products

COMPATIBILITY


- Up to 7070 size LED packages




STRADA-2X2MXS-DWC2
D: 90 x 90 mm
H: 14.41 mm
Silicone




STRADA-2X2MXS-VSM
D: 90 x 90 mm
H: 13 mm
Silicone



STRADA-2X2MXS-T2
D: 90 x 90 mm
H: 12.7 mm
Silicone



STRADA-2X2MXS-T3
D: 90 x 90 mm
H: 14.8 mm
Silicone



STRADA-2X2MXS-T4-B
D: 90 x 90 mm
H: 14.2 mm
Silicone




Silicone STRADA-2X2S modules

www.ledil.com/products

COMPATIBILITY

- Up to 5050 size LED packages



STRADA-2X2S-T3
D: 50 x 50 mm
H: 7.23 mm
Silicone
IESNA Type III Medium light distribution



STREET & AREA LIGHTING



JENNY (www.ledil.com/jennyfamily)

Comes either as a single lens or in a 8 lens array with possibility to separate lenses individually. Can be installed with glue or optional holder.

Compatibility:

- Up to 7070 size LED packages

Name		Height	Dimensions	Typ. eff.	Typ. FWHM
JENNY-CY		11.5	35 x 35	94	106 + 106
JENNY-8X1-CY		11.5	280 x 35	94	106 + 106
JENNY-T4		17	35 x 35	92	Asymm.
JENNY-8X1-T4		17	280 x 35	92	Asymm.
JENNY-20	Coming soon	14.52	35 x 35	96	20
JENNY-8X1-20	Coming soon	14.52	280 x 35	96	20
JENNY-40	Coming soon	15	35 x 35	96	40
JENNY-8X1-40	Coming soon	15	280 x 35	96	40
JENNY-60	Coming soon	13.42	35 x 35	94	60
JENNY-8X1-60	Coming soon	13.42	280 x 35	94	60
JENNY-FT45	Coming soon	20.65	35 x 35	92	Asymm.
JENNY-8X1-FT45	Coming soon	20.65	280 x 35	92	Asymm.
JENNY-HLD-A-BLK		5	34.8 x 50		
JENNY-CY-G2	Coming soon	TBA	TBA	TBA	TBA
JENNY-T4-G2	Coming soon	TBA	TBA	TBA	Asymm.
JENNY-8X1-CY-G2	Coming soon	TBA	TBA	TBA	TBA
JENNY-8X1-T4-G2	Coming soon	TBA	TBA	TBA	Asymm.

STELLA (www.ledil.com/stellafamily)

Compatibility:

- Asymmetric STELLA's: up to 23 mm LES size
- Symmetric STELLA's: up to 30 mm LES size
- 3rd party connectors from BJB, Ideal, B+W, Stucchi and TE

- STELLA-A – street lighting lens (typically Type II / Type III beam)
- STELLA-DWC2 – street lighting lens (typically Type III beam)
- STELLA-T4 – area lighting lens (typically Type IV beam)
- STELLA-VSM – Symmetric area lighting lens (wide Type V beam)
- STELLA-FRESNEL – narrow symmetric beam for warehouse and outdoor applications
- STELLA-RS – narrow spot for bigger size COBs
- STELLA-HB – symmetric beam for warehouse and outdoor applications
- STELLA-HB-WWW – wide symmetric beam for warehouse and outdoor applications

Name	H	D	Typ. eff.	Typ. FWHM
STELLA-A	22	90	92	Asymm.
STELLA-HB	19.5	90	93	76
STELLA-HB-WWW	11.3	90	88	97
STELLA-T4	26.9	90	92	Asymm.
STELLA-VSM	20.7	90	TBA	TBA
STELLA-FRESNEL	23	90	89	27
STELLA-DWC2	19.27	90	92	Asymm.
STELLA-RS	39.15	90	94	30
STELLA-CLAMP-CXA15-18				









STREET & AREA LIGHTING

STRADA-IP-2X6 modules

www.ledil.com/strada-ip-2x6

Compatibility:

- Up to 5050 size LED packages



Name	Dimensions	Height	Typ. eff.	Typ. FWHM
STRADA-IP-2X6-T2	173 x 71.4	9.2	94	Asymm.
STRADA-IP-2X6-T2-B-90	173 x 71.4	12.03	94	Asymm.
STRADA-IP-2X6-T3	173 x 71.4	8.5	94	Asymm.
STRADA-IP-2X6-T3-B-90	173 x 71.4	12.75	94	Asymm.
STRADA-IP-2X6-DWC-90	173 x 71.4	8.98	94	Asymm.

STREET & AREA LIGHTING

STRADA-6X1 modules

www.ledil.com/strada-6x1

Compatibility:

- Up to 3535 size LED packages



Name	LEDs	H	D	Typ. Eff.
STRADA-T-6X1-ME	6	8,2	119.8 x 25.2	93
STRADA-T-6X1-DNW	6	5,6	119.8 x 25.2	93
STRADA-T-6X1-DWC	6	5,5	119.8 x 25.2	94

TATIANA (www.ledil.com/tatiana)

Compatibility: Up to 3535 size LED packages

- Designed especially to meet Russian street lighting standards.
- Module can be snapped into four single lenses which allow upgrading old lighting fixtures and gives more freedom in design.
- Designed for lighting fixtures with 15° mounting angle.
- Suitable also for wire-mounted catenary luminaires.

Name	LEDs	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
TATIANA-1X4-B	4	7.7	102 x 25	144 + 62	94	0.54



TATIANA-1X4-B

FWHM angles, efficiencies and cd/lm values contained herein are typical values. Actual measured values depend of the specific LED/optic combination. Go to www.ledil.com for LED specific values and product datasheets.

STREET & AREA LIGHTING







STRADELLA

www.ledil.com/stradellafamily




Compatibility:

- STRADELLA single lens: Up to 3535 size mid- and high-power LEDs
- STRADELLA-8: Up to 3535 size mid- and high-power LEDs
- STRADELLA-9: Up to 3535 size mid power and CSP LEDs
- STRADELLA-16: Up to 3535 size mid-power LEDs

Street and area lighting

	STRADELLA-8-T2 D: 49.5 x 49.5 mm H: 5.7 mm Typ. eff.: 94%		STRADELLA-8-T3 D: 49.5 x 49.5 mm H: 5.7 mm Typ. eff.: 94%		STRADELLA-8-VSM D: 49.5 x 49.5 mm H: 5.5 mm Typ. eff.: 94%
	STRADELLA-8-SCL D: 49.5 x 49.5 mm H: 5.4 mm Typ. eff.: 93%		STRADELLA-8-HV-CY D: 49.5 x 49.5 mm H: 4.73 mm Typ. eff.: 94%		STRADELLA-8-T1-A D: 49.5 x 49.5 mm H: 5.32 mm Typ. eff.: 94%
	STRADELLA-8-HV-ME D: 49.5 x 49.5 mm H: 5.5 mm Typ. eff.: 94%				

High bay lighting

	STRADELLA-8-HB-S D: 49.5 x 49.5 mm H: 7.5 mm Typ. FWHM: 27°		STRADELLA-8-HB-M D: 49.5 x 49.5 mm H: 5.7 mm Typ. FWHM: 58°		STRADELLA-8-HB-W D: 49.5 x 49.5 mm H: 7.12 mm Typ. FWHM: 87°
---	---	---	---	---	--


Name	Beam type	LEDs	H	D	Typ. FWHM	Typ. Eff.	Typ. cd/lm
STRADELLA-CY	Wide area lighting	1	4.73	13.9 x 13.9	115	94	0.32
STRADELLA-T2	Asymmetric	1	4.96	13.9 x 13.9	Asymm	94	0.77
STRADELLA-T3	Asymmetric	1	4.96	13.9 x 13.9	Asymm	94	0.7
STRADELLA-T4-B	NEW! Asymmetric	1	5.16	13.9 x 13.9	Asymm.	93	0.56
STRADELLA-T1-A	NEW! Asymmetric	1	5.32	13.9 x 13.9	Asymm.	94	0.86
STRADELLA-HB-S	Spot	1	7.5	13.9 x 13.9	27	95	1.55
STRADELLA-HB-M	Medium	1	5.7	13.9 x 13.9	58	94	0.61
STRADELLA-HB-W	Wide	1	7.12	13.9 x 13.9	87	94	0.5
STRADELLA-8-HV-ME	NEW! Asymmetric	8	5.5	49.5 x 49.5	Asymm.	94	0.7
STRADELLA-8-HV-CY	Wide area lighting	8	4.91	49.5 x 49.5	125 + 125	94	0.34
STRADELLA-8-T2*	Asymmetric	8	5.7	49.5 x 49.5	Asymm	94	0.75
STRADELLA-8-T3*	Asymmetric	8	5.7	49.5 x 49.5	Asymm	94	0.7
STRADELLA-8-VSM*	Wide area lighting	8	5.5	49.5 x 49.5	143	94	0.42
STRADELLA-8-SCL*	Asymmetric	8	5.5	49.5 x 49.5	Asymm	93	0.7
STRADELLA-8-T1-A*	NEW! Asymmetric	8	5.32	49.5 x 49.5	Asymm	94	1.0
STRADELLA-8-HB-S*	Spot	8	7.5	49.5 x 49.5	27	90	1.75
STRADELLA-8-HB-M*	Medium	8	5.7	49.5 x 49.5	58	92	0.70
STRADELLA-8-HB-W*	Wide	8	7.12	49.5 x 49.5	87	94	0.46
STRADELLA-9-AT	Asymmetric	9	6.3	49.5 x 49.5	Asymm	92	0.46
STRADELLA-16-HB-S	Spot	16	7.5	49.5 x 49.5	27	93	1.7
STRADELLA-16-HB-M	Medium	16	5.7	49.5 x 49.5	61	93	0.68
STRADELLA-16-HB-W	Wide	16	7.12	49.5 x 49.5	92	94	0.49
STRADELLA-16-T1-A	NEW! Asymmetric	16	4.3	49.5 x 49.5	Asymm.	94	0.81

* Available in HV versions with different pin locations allowing high voltage circuit designs


The information contained herein is the property of LEDiL Oy, Joensuukatu 13, FI-24100 SALO, Finland, and is subject to change without prior notice. Please visit www.ledil.com for additional information, such as the latest photometric files, 3D mechanical models, and application notes relating to handling, gluing and taping.

HIGH BAY LIGHTING


HB-2X2




HB-2X2-RS
D: 50 x 50 mm
H: 10 mm
Typ. FWHM: 10°




HB-2X2-M
D: 50 x 50 mm
H: 8.5 mm
Typ. FWHM: 25°




HB-2X2-W
D: 50 x 50 mm
H: 8.5 mm
Typ. FWHM: 51°




HB-2X2-WW
D: 50 x 50 mm
H: 8.5 mm
Typ. FWHM: 65°




HB-2X2-WWW
D: 50 x 50 mm
H: 8.5 mm
Typ. FWHM: 65°



HB-2X2-O
D: 50 x 50 mm
H: 10.6 mm
Typ. FWHM: 19° + 17°




HB-2X2-RW
D: 50 x 50 mm
H: 8.5 mm
Typ. FWHM: 51°




HB-2X2-ON
D: 50 x 50 mm
H: 10 mm
Typ. FWHM: 14° + 50°


HB-IP-2X6




HB-IP-2X6-RS
D: 173 x 71.4 mm
H: 11.4 mm
Typ. FWHM: 19°




HB-IP-2X6-M
D: 173 x 71.4 mm
H: 11.4 mm
Typ. FWHM: 27°



HB-IP-2X6-W
D: 173 x 71.4 mm
H: 11.4 mm
Typ. FWHM: 58°




HB-IP-2X6-WWW
D: 173 x 71.4 mm
H: 11.4 mm
Typ. FWHM: 98°




HB-IP-2X6-O
D: 173 x 71.4 mm
H: 12.2 mm
Typ. FWHM: 32° + 115°


HB-2X2MX



HB-2X2MX-8-M
D: 90 x 90 mm
H: 16.38 mm
Typ. FWHM: 30°
Typ. eff.: 92%



HB-2X2MX-8-W
D: 90 x 90 mm
H: 15.35 mm
Typ. FWHM: 50°
Typ. eff.: 92%



HB-2X2MX-8-WWW
D: 90 x 90 mm
H: 16.38 mm

HB-SQ & HB-5X1

COMPATIBILITY: Up to 7070 size LED packages

Name	LEDs	Dimensions	Height	Typ. FWHM
HB-SQ-A	1	25 x 25	12.9	50
HB-5X1-FLAT-W	5	123 x 25	8.5	54
HB-5X1-W	5	123 x 25	9	56
HB-5X1-WW	5	123 x 25	9	72

HIGH BAY LIGHTING

HB family

www.ledil.com/highbayfamily

HB-2X2 modules

Compatibility:

- Up to 5050 size LED packages

HB-IP-2X6 modules

Compatibility:

- Up to 5050 size LED packages

HB-2X2MX modules

www.ledil.com/2x2mx

Compatibility:

- Super high-power LEDs up to 7070 size packages

HB-2X2MXS modules

www.ledil.com/2x2mx

Compatibility:

- Up to 7070 size LED packages

Name	Dimensions	Height	Typ. FWHM
HB-2X2MXS-M	90 x 90	TBA	30
HB-2X2MXS-WW	90 x 90	16.5	52
HB-2X2MXS-WW	90 x 90	11.5	90

CUSTOM SOLUTIONS

In addition to our wide product portfolio of standard products we also offer custom tailored solutions. Our long expertise in optical design and close collaboration with our customers to meet their special needs is in some cases the only way to find the best solution for a project.

When is a customized solution needed?

- No mechanically or optically suitable product available
- Looking for a unique design solution and differentiation
- Meeting special requirements for certain applications
- Need for specific material

Why LEDiL?


Long experience and wide expertise in optical design
Full turnkey service

- No need for external 3D-designers
- Accurate light laboratory measurements
- Production facilities on different continents
- Wide testing capabilities to support product development
- Thermal analysis service from the beginning of a project
- Technical support during the whole lifetime of a product

Broad recognition in the industry as
a manufacturer of high quality
products

If you need a customized
product please contact your
local sales representative
to discuss finding the best
possible solution for your
requirements.

WHERE TO BUY



For detailed information visit
www.ledil.com/where_to_buy

	USA & Canada	Sampsu Nurmi	sampsu.nurmi@ledil.com	+358 41 503 5316
	North-East USA & East-Canada	Kevin Vaughn	kevin.v Vaughn@ledil.com	+1 412 721 4308
1	Southeast & South Central USA	Paul Munce	paul.munce@ledil.com	+1 678 372 6053
	Midwest USA	Lauri Haarala	lauri.haarala@ledil.com	+1 331 330 3215
	West USA, Western Canada	Barry Williams	barry.williams@ledil.com	+1 310 994 4967
	Central & South-America	Raúl Parra	raul.parra@ledil.com	+358 40 095 6839
	Brazil	Bruno Musolino	bruno.musolino@ledil.com	+55 11 9 8264 6688
	Brazil	Jen John Lee	jen.lee@ledil.com	+55 11 9 7378 8874
2	Customer Service Brazil	Fernanda Cruciani	fernanda.cruciani@ledil.com	+ 55 11 9 6645 8450
	México	Rodrigo Menabrito	rodrigo.menabrito@ledil.com	+52 81 1609 2329
	Inside Sales México	Ana Sofia Meza	ana.meza@ledil.com	+ 52 1 555 435 6721
	Stina Åkerberg	Inside Sales, LATAM	stina.akerberg@ledil.com	
3-10	Europe	Konstantinos Kyranas	konstantinos.kyranas@ledil.com	+49 17 1184 5154
3	Nordic, Baltic	Ville Saarinen	ville.saarinen@ledil.com	+358 40 732 8705
4	UK, Ireland, Benelux	Simon Aldred	simon.alred@ledil.com	+44 7540 726 384
5	France	Glenn Bultinck	glenn.bultinck@ledil.com	+33 75 09 78 155
6	Spain, Portugal	Dave Simpson	dave.simpson@ledil.com	+34 607 858 901
	Germany, Austria, Switzerland	Oliver Klasen	oliver.klasen@ledil.com	+49 151 20661985
7	Germany	Andreas Junker	andreas.junker@ledil.com	+49 151 7583 9123
	Germany, Austria, Switzerland	Martin Lengwenus	martin.lengwenus@ledil.com	+49 1577 1916641
8	Poland, Czech Republic, Slovakia	Marcin Wiewiórka	marcin.wiewiora@ledil.com	+48 501 765 576
9	Italy	Diego Quadrio	diego.quadrio@ledil.com	+39 340 659 9236
	Italy	Antonio Duso	antonio.duso@ledil.com	+39 334 1185090
10	Balkans	Gregor Pokernik	gregor.pokernik@ledil.com	+386 41 667 623
11	Russia, Ukraine, Belarus, Kazakhstan	Saken Jusupov	saken.jusupov@ledil.com	+7 911 758 95 54
12	Turkey	Zekeriya Boz	zekeriya.boz@ledil.com	+90 546 291 2 444
13	Iran	Bahador Mozaffari	bahador.mozaffari@ledil.com	+98 912 593 9355
14	India	Radhesyam Nandigam	india@ledil.com	+91 9676 333 162
15	China, Hong Kong, Taiwan	Tang Yunfeng	yunfeng.tang@ledil.com	+86 139 1727 3224
16	South-Korea	Howard Lee	howard@coresemi.com	+82 10 3799 7351
17	Japan	Kazuaki Kimura	kazuaki.kimura@ledil.com	+81 90 3212 4135
18	Thailand, Malaysia, Singapore	Suppaluck Sae-Sean	suppaluck.sae-sean@ledil.com	+66 869 741 968
19	Australia, New Zealand	Pasi Kontto	pasi.kontto@ledil.com	+358 40 776 2149
12-20	Asia, Middle East, Africa	Joni Mäki	joni.maki@ledil.com	+358 404 139 990
1-20	Inside Sales, Global	Nanna Raita	nanna.raita@ledil.com	+358 40 833 2707



www.ledil.com

LEDiL Oy
Joensuunkatu 13
FI-24100 SALO
Finland

LEDiL Inc.
228 West Page
Street Suite D
Sycamore IL 60178
USA

Local sales and technical support
See page 53 or visit
www.ledil.com/where_to_buy

Shipping locations
Salo, Finland
Hong Kong, China

Distribution Partners
See www.ledil.com/where_to_buy